SUBSTITUTE FOR

HOUSE BILL NO. 5748

A bill to amend 1984 PA 44, entitled

"Motor fuels quality act,"

by amending section 3 (MCL 290.643), as amended by 2006 PA 271.

THE PEOPLE OF THE STATE OF MICHIGAN ENACT:

Sec. 3. (1) The director shall establish standards pursuant to
 this act to ensure the purity and quality of gasoline and diesel
 fuel sold or offered for sale in this state.

4 (2) The director shall establish standards for the amount and
5 type of additives allowed to be included in gasoline and diesel
6 fuel.

7 (3) The director shall establish standards for the grading of
8 gasoline, including, but not limited to, subregular with a minimum
9 85 AKI, regular with a minimum 87 AKI and a minimum 82 MON,

H04932'07 (H-1)

MRM

midgrade 88 with a minimum 88 AKI and a minimum 82 MON, midgrade 89
 with a minimum 89 AKI and a minimum 83 MON, premium with a minimum
 90 AKI, premium 91 with a minimum 91 AKI, premium 92 with a minimum
 92 AKI, premium 93 with a minimum 93 AKI, and premium 94 with a
 minimum 94 AKI.

6 (4) The director shall establish standards for vapor pressure as specified by the American society for testing and materials, 7 except as otherwise required to conform to federal or state law. 8 9 Notwithstanding anything to the contrary in section 10d, the 10 director shall establish the vapor pressure as 9.0 pounds per 11 square inch (psi) for retail outlets during the period beginning 12 June 1 through September 15 of each year, except for dispensing 13 facilities in counties where the director establishes the vapor 14 pressure as 7.0 psi or 7.8 psi in the year 2007 and thereafter. As 15 used in this act, "vapor pressure" means the vapor pressure of 16 gasoline or gasoline oxygenate blend as determined by ASTM test 17 method D6378 or D5191 or an ASTM method approved by the department.

18 (5) In establishing additive and grading standards the 19 director shall adopt the latest standards for qasoline established 20 by the American society for testing and materials and shall adopt the latest standards for gasoline established by federal law or 21 regulation. The standards established by the director shall not 22 23 prohibit a gasoline blend that is permitted by a valid waiver 24 granted by the United States environmental protection agency pursuant to the fuel or fuel additive waiver in section 211(f)(4)25 26 of part A of title II of the clean air act, chapter 360, 81 Stat. 27 502, 42 USC 7545, and the ethanol waiver of 1.0 psi in section

H04932'07 (H-1)

MRM

2

211(h)(4) of part A of title II of the clean air act, chapter 360,
 81 Stat. 502, 42 USC 7545, if the gasoline blend meets all of the
 conditions set forth in the waiver. Beginning June 1, 2003, the
 director shall not permit the use of the additive methyl tertiary
 butyl ether (MTBE) in this state.

6 (6) The director shall establish standards pursuant to this 7 act to ensure the purity and quality of diesel fuel sold or offered 8 for sale in this state. NO LATER THAN JUNE 1, 2009, THE DIRECTOR 9 SHALL MAKE AVAILABLE FOR PUBLIC COMMENT PROPOSED STANDARDS TO 10 ENSURE THE PURITY AND QUALITY OF DIESEL FUEL THAT IS BIODIESEL OR A 11 BIODIESEL BLEND, INCLUDING, BUT NOT LIMITED TO, A BIODIESEL BLEND 12 DESIGNATED AS B20.

13 (7) Any firm offering hydrogen fuel for sale in this state 14 shall first register with and obtain approval from the department. 15 Registration shall include a complete list of the fuel 16 specifications the product is to meet and the sites where the 17 product is offered for sale to the general public.

18 (8) Standards established pursuant to this section shall be by
19 rules promulgated pursuant to the administrative procedures act of
20 1969, 1969 PA 306, MCL 24.201 to 24.328.

3

Final Page

MRM