SENATE BILL No. 1092

September 24, 2014, Introduced by Senator CASPERSON and referred to the Committee on Transportation.

A bill to amend 1949 PA 300, entitled "Michigan vehicle code,"

by amending section 612 (MCL 257.612), as amended by 2006 PA 339.

THE PEOPLE OF THE STATE OF MICHIGAN ENACT:

Sec. 612. (1) When traffic is controlled by traffic control 1 2 signals, not fewer than 1 signal shall be located over the traveled 3 portion of the roadway so as to give vehicle operators a clear indication of the right-of-way assignment from their normal 4 positions approaching the intersection. The vehicle signals shall 5 exhibit different colored lights successively, 1 at a time, or with 7 arrows. Red arrow and yellow arrow indications have the same meaning as the corresponding circular indications, except that they 8 apply only to vehicle operators intending to make the movement indicated by the arrow. The following colors shall be used, and the

05911'14 * KEJ

- 1 terms and lights shall indicate and apply to vehicle operators as
- 2 follows:
- 3 (a) If the signal exhibits a green indication, vehicular
- 4 traffic facing the signal may proceed straight through or turn
- 5 right or left unless a sign at that place prohibits either turn.
- 6 Vehicular traffic, including vehicles turning right or left, shall
- 7 yield the right-of-way to other vehicles and to pedestrians and
- 8 bicyclists lawfully within the intersection or an adjacent
- 9 crosswalk at the time the signal is exhibited.
- 10 (b) If the signal exhibits a steady yellow indication,
- 11 vehicular traffic facing the signal shall stop before entering the
- 12 nearest crosswalk at the intersection or at a limit line when
- 13 marked, but if the stop cannot be made in safety, a vehicle may be
- 14 driven cautiously through the intersection.
- 15 (c) If the signal exhibits a steady red indication, the
- 16 following apply:
- 17 (i) Vehicular traffic facing a steady red signal alone shall
- 18 stop before entering the crosswalk on the near side of the
- 19 intersection or at a limit line when marked or, if there is no
- 20 crosswalk or limit line, before entering the intersection and shall
- 21 remain standing until a green indication is shown, except as
- 22 provided in subparagraph (ii).
- 23 (ii) Vehicular traffic facing a steady red signal, after
- 24 stopping before entering the crosswalk on the near side of the
- 25 intersection or at a limit line when marked or, if there is no
- 26 crosswalk or limit line, before entering the intersection, may make
- 27 a right turn from a 1-way or 2-way street into a 2-way street or

05911'14 * KEJ

- 1 into a 1-way street carrying traffic in the direction of the right
- 2 turn or may make a left turn from a 1-way or 2-way street into a 1-
- 3 way roadway carrying traffic in the direction of the left turn,
- 4 unless prohibited by sign, signal, marking, light, or other traffic
- 5 control device. The vehicular traffic shall yield the right of way
- 6 to pedestrians and bicyclists lawfully within an adjacent crosswalk
- 7 and to other traffic lawfully using the intersection.
- 8 (d) If the signal exhibits a steady green arrow indication,
- 9 vehicular traffic facing the green arrow signal, shown alone or in
- 10 combination with another indication, may cautiously enter the
- 11 intersection only to make the movement indicated by the arrow or
- 12 other movement permitted by other indications shown at the same
- 13 time. The vehicular traffic shall yield the right-of-way to
- 14 pedestrians and bicyclists lawfully within an adjacent crosswalk
- 15 and to other traffic lawfully using the intersection.
- 16 (2) If a traffic control signal is erected and maintained at a
- 17 place other than an intersection, the provisions of this section
- 18 apply except for those provisions that by their nature cannot
- 19 apply. Any stop required shall be made at a sign or marking on the
- 20 pavement indicating where the stop shall be made, but in the
- 21 absence of a sign or marking, the stop shall be made at the signal.
- 22 (3) A person who violates subsection (1) or (2) is responsible
- 23 for a civil infraction.
- 24 (4) A vehicle operator who approaches a person using a
- 25 wheelchair or a device to aid the person to walk at a crosswalk or
- 26 any other pedestrian crossing shall take necessary precautions to
- 27 avoid accident or injury to the person using the wheelchair or

05911'14 * KEJ

- 1 device. A person who violates this subsection is guilty of a
- 2 misdemeanor.
- 3 (5) A sign prohibiting a turn on a red signal as provided in
- 4 subsection (1)(c)(ii) shall be located above or adjacent to the
- 5 traffic control signal or as close as possible to the point where
- 6 the turn is made, or at both locations, so that 1 or more of the
- 7 signs are visible to a vehicle operator intending to turn, at the
- 8 point where the turn is made. An additional sign may be used at the
- 9 far side of the intersection in the direct line of vision of the
- 10 turning vehicle operator.
- 11 (6) SUBJECT TO FEDERAL LAW, A TEMPORARY TRAFFIC CONTROL SIGNAL
- 12 MAY BE LOCATED ON, OVER, OR ADJACENT TO THE TRAVELED PORTION OF THE
- 13 ROADWAY.

05911'14 * Final Page KEJ