## **SENATE BILL No. 1092**

1

## **SENATE BILL No. 1092**

September 24, 2014, Introduced by Senator CASPERSON and referred to the Committee on Transportation.

A bill to amend 1949 PA 300, entitled "Michigan vehicle code,"

by amending section 612 (MCL 257.612), as amended by 2006 PA 339.

## THE PEOPLE OF THE STATE OF MICHIGAN ENACT:

Sec. 612. (1) When traffic is controlled by traffic control

signals, not fewer than 1 signal shall be located over the traveled
portion of the roadway so as to give vehicle operators a clear
indication of the right-of-way assignment from their normal
positions approaching the intersection. The vehicle signals shall
exhibit different colored lights successively, 1 at a time, or with
arrows. Red arrow and yellow arrow indications have the same
meaning as the corresponding circular indications, except that they
apply only to vehicle operators intending to make the movement
indicated by the arrow. The following colors shall be used, and the

05911'14 \* KEJ

- 1 terms and lights shall indicate and apply to vehicle operators as
- 2 follows:
- 3 (a) If the signal exhibits a green indication, vehicular
- 4 traffic facing the signal may proceed straight through or turn
- 5 right or left unless a sign at that place prohibits either turn.
- 6 Vehicular traffic, including vehicles turning right or left, shall
- 7 yield the right-of-way to other vehicles and to pedestrians and
- 8 bicyclists lawfully within the intersection or an adjacent
- 9 crosswalk at the time the signal is exhibited.
- 10 (b) If the signal exhibits a steady yellow indication,
- 11 vehicular traffic facing the signal shall stop before entering the
- 12 nearest crosswalk at the intersection or at a limit line when
- 13 marked, but if the stop cannot be made in safety, a vehicle may be
- 14 driven cautiously through the intersection.
- 15 (c) If the signal exhibits a steady red indication, the
- 16 following apply:
- 17 (i) Vehicular traffic facing a steady red signal alone shall
- 18 stop before entering the crosswalk on the near side of the
- 19 intersection or at a limit line when marked or, if there is no
- 20 crosswalk or limit line, before entering the intersection and shall
- 21 remain standing until a green indication is shown, except as
- 22 provided in subparagraph (ii).
- 23 (ii) Vehicular traffic facing a steady red signal, after
- 24 stopping before entering the crosswalk on the near side of the
- 25 intersection or at a limit line when marked or, if there is no
- 26 crosswalk or limit line, before entering the intersection, may make
- 27 a right turn from a 1-way or 2-way street into a 2-way street or

05911'14 \* KEJ

- 1 into a 1-way street carrying traffic in the direction of the right
- 2 turn or may make a left turn from a 1-way or 2-way street into a 1-
- 3 way roadway carrying traffic in the direction of the left turn,
- 4 unless prohibited by sign, signal, marking, light, or other traffic
- 5 control device. The vehicular traffic shall yield the right of way
- 6 to pedestrians and bicyclists lawfully within an adjacent crosswalk
- 7 and to other traffic lawfully using the intersection.
- 8 (d) If the signal exhibits a steady green arrow indication,
- 9 vehicular traffic facing the green arrow signal, shown alone or in
- 10 combination with another indication, may cautiously enter the
- 11 intersection only to make the movement indicated by the arrow or
- 12 other movement permitted by other indications shown at the same
- 13 time. The vehicular traffic shall yield the right-of-way to
- 14 pedestrians and bicyclists lawfully within an adjacent crosswalk
- 15 and to other traffic lawfully using the intersection.
- 16 (2) If a traffic control signal is erected and maintained at a
- 17 place other than an intersection, the provisions of this section
- 18 apply except for those provisions that by their nature cannot
- 19 apply. Any stop required shall be made at a sign or marking on the
- 20 pavement indicating where the stop shall be made, but in the
- 21 absence of a sign or marking, the stop shall be made at the signal.
- 22 (3) A person who violates subsection (1) or (2) is responsible
- 23 for a civil infraction.
- 24 (4) A vehicle operator who approaches a person using a
- 25 wheelchair or a device to aid the person to walk at a crosswalk or
- 26 any other pedestrian crossing shall take necessary precautions to
- 27 avoid accident or injury to the person using the wheelchair or

05911'14 \* KEJ

- 1 device. A person who violates this subsection is guilty of a
- 2 misdemeanor.
- 3 (5) A sign prohibiting a turn on a red signal as provided in
- 4 subsection (1)(c)(ii) shall be located above or adjacent to the
- 5 traffic control signal or as close as possible to the point where
- 6 the turn is made, or at both locations, so that 1 or more of the
- 7 signs are visible to a vehicle operator intending to turn, at the
- 8 point where the turn is made. An additional sign may be used at the
- 9 far side of the intersection in the direct line of vision of the
- 10 turning vehicle operator.
- 11 (6) SUBJECT TO FEDERAL LAW, A TEMPORARY TRAFFIC CONTROL SIGNAL
- 12 MAY BE LOCATED ON, OVER, OR ADJACENT TO THE TRAVELED PORTION OF THE
- 13 ROADWAY.

05911'14 \* Final Page KEJ