

HOUSE BILL No. 5639

February 27, 2018, Introduced by Reps. Roberts and Maturen and referred to the Committee on Transportation and Infrastructure.

A bill to amend 1949 PA 300, entitled
"Michigan vehicle code,"
(MCL 257.1 to 257.923) by adding section 217i.

THE PEOPLE OF THE STATE OF MICHIGAN ENACT:

1 **SEC. 217I. (1) NOTWITHSTANDING ANY OTHER PROVISION OF THIS**
2 **ACT, THE SECRETARY OF STATE SHALL, UPON AN APPLICANT'S PAYMENT OF**
3 **THE PROPER FEES AND SUBMISSION OF ALL DOCUMENTATION REQUIRED BY THE**
4 **SECRETARY OF STATE, ISSUE A VEHICLE IDENTIFICATION NUMBER AND A**
5 **CERTIFICATE OF TITLE TO AN ASSEMBLED VEHICLE THAT SATISFIES ALL**
6 **APPLICABLE REQUIREMENTS OF THIS ACT, IF THE ASSEMBLED VEHICLE**
7 **CONTAINS ALL OF THE FOLLOWING EQUIPMENT:**

8 **(A) HEADLIGHTS. AS USED IN THIS SUBDIVISION, "HEADLIGHTS"**
9 **INCLUDES 1 HEADLIGHT ON EACH SIDE, AND HIGH- AND LOW-BEAM**
10 **HEADLIGHTS.**

1 (B) FRONT AND REAR TURN SIGNALS.

2 (C) AT LEAST 1 TAILLIGHT. IF THE VEHICLE IS EQUIPPED WITH 2
3 TAILLIGHTS, BOTH TAILLIGHTS SHALL BE IN WORKING ORDER.

4 (D) REGISTRATION PLATE LIGHT.

5 (E) BRAKE LIGHTS.

6 (F) HORN.

7 (G) BRIGHT LIGHT INDICATOR.

8 (H) WINDSHIELD WIPERS.

9 (I) WINDSHIELD WASHERS.

10 (J) BRAKE EQUIPMENT AS REQUIRED UNDER SECTION 705.

11 (K) SAFETY BELTS. THIS SUBDIVISION ONLY APPLIES TO 1965 AND
12 NEWER MODEL VEHICLES.

13 (L) SAFETY GLASS WINDSHIELD. THE WINDSHIELD REQUIRED UNDER
14 THIS SUBDIVISION SHALL NOT BE MADE OF PLEXIGLASS, SHALL BE OF A
15 SUFFICIENT SIZE TO PROTECT THE DRIVER OF THE VEHICLE AND
16 PASSENGERS, SHALL BE FREE OF ANY CRACKS OR OBSTRUCTIONS, AND SHALL
17 BE MADE OF A TRANSPARENT MATERIAL.

18 (M) EXCEPT AS OTHERWISE PROVIDED IN SUBDIVISION (N) ,
19 ADJUSTABLE OUTSIDE REARVIEW MIRROR ON THE DRIVER'S SIDE.

20 (N) OUTSIDE REARVIEW MIRROR ON EACH SIDE OF THE VEHICLE. THIS
21 SUBDIVISION ONLY APPLIES TO A TRUCK WITH A HALF-TON OR MORE
22 CAPACITY.

23 (O) BUMPERS. THIS SUBDIVISION ONLY APPLIES TO A PASSENGER
24 VEHICLE. THE BUMPERS REQUIRED UNDER THIS SUBDIVISION SHALL BE
25 BETWEEN 14 AND 22 INCHES ABOVE THE GROUND WHEN THE VEHICLE IS NOT
26 IN 4-WHEEL DRIVE.

27 (P) TIRES. THE TIRES REQUIRED BY THIS SUBDIVISION SHALL HAVE

1 2/32-INCH TREAD, SHALL NOT HAVE EXPOSED CORD OR TREAD SEPARATION,
2 AND SHALL BE APPROVED FOR USE BY THE UNITED STATES DEPARTMENT OF
3 TRANSPORTATION.

4 (Q) EXHAUST. THE EXHAUST REQUIRED BY THIS SUBDIVISION SHALL BE
5 IN GOOD WORKING ORDER AND SHALL NOT PRODUCE EXCESSIVE NOISE. IF THE
6 ORIGINAL DESIGN OF THE EXHAUST INCLUDED A TAILPIPE AND RESONATOR,
7 THE EXHAUST SHALL INCLUDE A TAILPIPE AND RESONATOR.

8 (R) DIFFERENTIAL GEAR.

9 (2) AS USED IN THIS SECTION, "ASSEMBLED VEHICLE" MEANS 1 OR
10 MORE OF THE FOLLOWING:

11 (A) A VEHICLE THAT IS BUILT FROM NEW OR USED MATERIALS OR
12 PARTS BY A PERSON NOT RECOGNIZED AS A MANUFACTURER.

13 (B) A VEHICLE THAT HAS BEEN ALTERED OR MODIFIED TO THE EXTENT
14 THAT IT NO LONGER REFLECTS ITS ORIGINAL MANUFACTURER CONFIGURATION.

15 (C) A VEHICLE THAT HAS HAD ITS BODY REPLACED WITH A DIFFERENT
16 STYLE OF BODY UNIT FROM ANOTHER VEHICLE.

17 (D) A VEHICLE THAT HAS BEEN ASSEMBLED FROM A KIT.

18 (E) AN OFF-ROAD VEHICLE, REGARDLESS OF WHETHER THE ORIGINAL
19 MANUFACTURER'S CERTIFICATE OF ORIGIN SPECIFIES THAT THE VEHICLE IS
20 AN OFF-ROAD VEHICLE.

21 Enacting section 1. This amendatory act takes effect 90 days
22 after the date it is enacted into law.