

FOOD LAW OF 2000 (EXCERPT)
Act 92 of 2000

***** 289.6129.amended THIS AMENDED SECTION IS EFFECTIVE OCTOBER 1, 2012 *****

289.6129.amended Consideration of risk-based evaluation methodology; evaluation report; priority items or priority foundation items; correction.

Sec. 6129. (1) The director shall consider the risk-based evaluation methodology as described in food code annex 5, section 4 A-H for conducting evaluations of food establishments.

(2) The completed evaluation report shall specify a period of time for correction of noted violations. The license holder shall correct the violations within the time specified in the report.

(3) All violations which are marked as priority items or priority foundation items on the evaluation report form shall be corrected immediately unless otherwise specified. The director shall confirm corrections within 30 days after the report is issued. However, if not more than 2 priority foundation item violations are noted and the director determines that the violations are not a risk to food safety, the director may confirm correction of the priority foundation item violations at the next routine evaluation.

History: 2000, Act 92, Eff. Nov. 8, 2000;—Am. 2007, Act 114, Eff. Apr. 1, 2008;—Am. 2012, Act 178, Eff. Oct. 1, 2012.

Compiler's note: Sec. 1117 of Act 92 of 2000 provides:

“Sec. 1117. (1) Subject to subsections (2) and (3), this act takes effect 6 months after the date of enactment.

“(2) Until 6 months after the effective date of this act, compliance with the standards of the design, construction, and equipment of a food service establishment approved under former sections 12901, 12902, 12903, 12904, 12905a, 12906, 12907, 12908, 12910, 12911, 12912, 12913, 12916, and 12921 of the public health code, MCL 333.12901, 333.12902, 333.12903, 333.12904, 333.12905a, 333.12906, 333.12907, 333.12908, 333.12910, 333.12911, 333.12912, 333.12913, 333.12916, and 333.12921, is considered compliance with this act.

“(3) Beginning 6 months after the effective date of this act, a food service establishment shall comply with the standards of design, construction, and equipment established under this act.”